

SESAR		Active							ECAC+	
FCM03		Collaborative Flight Planning								
REG	ASP	MIL	APO	USE	INT	IND	NM	MET	AIS	USP

Subject matter and scope

Improve collaboration between the NM, ANSPs, airports and airspace users in flight plan (FP) filing, in particular to assist airspace users in filing their FPs and in re-routings according to the airspace availability and ATFM situation.

The ATC flight plan (AFP) messages sent to the NM serve purpose of:

- Enabling NM to provide ATC Units with more accurate FP information, improving their traffic situation awareness and reducing the workload caused by last minute updates or missing FPs.
- Updating the ETFMS with FP information in order to reflect as accurately as possible the current and future flight trajectories, providing accurate sector load calculations.

NOTE FOR MILITARY AUTHORITIES: It is the responsibility of each military authority to review this Objective IN ITS ENTIRETY and address each of the SLoAs that the military authority considers RELEVANT for itself. This has to be done on top and above of the review of "MIL" SLoAs which identify actions EXCLUSIVE to military authorities.

Applicability Area(s) & Timescale(s)

Applicability Area		All ECAC+ States			
Timescales:		From:	By:	Applicable to:	
Initial operational capability		01/01/2000		Applicability Area	
Full operational capability			31/12/2022	Applicability Area	

References

European ATM Master Plan

OI step -		<a href="#">[IS-0102]-Improved Management of Flight Plan After Departure</a>									
	Enablers -	NIMS-02	NIMS-20 FCM06.1	PRO-005							
Legend:	WXYZ-001	Covered by SLoA(s) in this objective		WXYZ-002 zzz	Covered by SLoA(s) in another objective Objective covering the enabler			WXYZ-003	Not covered in the Implementation Plan		

Applicable legislation

-none-
--------

Essential Operational Changes

ATM Interconnected Network
----------------------------

SESAR Solution

--

ICAO GANP - ASBUs

NOPS-B0/2	Collaborative Network Flight Updates
-----------	--------------------------------------

Deployment Programme

- none -
----------

European Plan for Aviation Safety

- none -
----------

Operating Environments

<b>FCM03</b>	<b>Collaborative Flight Planning</b>
--------------	--------------------------------------

Airport
En-Route
Network
Terminal Airspace

### Stakeholder Lines of Action (SLoAs)

SLoA ref.	Title	From	By
<b>FCM03-ASP01</b>	Provide flight plan message processing in ICAO format	<b>FINALISED</b>	
<b>FCM03-ASP02</b>	Automatically process FPLs derived from RPLs	<b>FINALISED</b>	
<b>FCM03-ASP03</b>	Provide flight plan message processing in ADEXP format	01/12/1997	31/12/2022
<b>FCM03-ASP04</b>	Processing of APL and ACH messages	<b>FINALISED</b>	
<b>FCM03-ASP05</b>	Automatically provide AFP for missing flight plans	01/03/1998	31/12/2022
<b>FCM03-ASP06</b>	Automatically provide AFP message for change of route	01/03/2003	31/12/2022
<b>FCM03-ASP07</b>	Automatically provide AFP message for a diversion	01/03/2008	31/12/2022
<b>FCM03-ASP08</b>	Automatically provide AFP message for a change of flight rules or flight type	01/03/2003	31/12/2022
<b>FCM03-ASP09</b>	Automatically provide AFP message for a change of requested cruising level	<b>DELETED</b>	
<b>FCM03-ASP10</b>	Provide AFP messages in ADEXP format	<b>DELETED</b>	
<b>FCM03-ASP11</b>	Use IFPLID in all messages to ETFMS	<b>DELETED</b>	
<b>FCM03-ASP12</b>	Use IFPLID in exchange of route-charge data	<b>DELETED</b>	
<b>FCM03-ASP13</b>	Automatically provide AFP message for change of aircraft type	01/03/2003	31/12/2022
<b>FCM03-ASP14</b>	Automatically provide AFP message for change of aircraft equipment	01/03/2008	31/12/2022
<b>FCM03-NM01</b>	Integration of Automatic AFP in NM systems	01/01/2010	31/12/2022

Description of finalised and deleted SLoAs is available on the eATM Portal @ [https://www.eatmportal.eu/working/depl/essip\\_objectives](https://www.eatmportal.eu/working/depl/essip_objectives)

### Expected Performance Benefits

<b>Safety:</b>	Prevention of ATCO overload.
<b>Capacity:</b>	Better use of the available network capacity hence reducing delays.
<b>Operational Efficiency:</b>	A better traffic prediction will enhance traffic smoothing allowing less 'unnecessary' actions to be taken. Earlier awareness of the updated traffic situation will permit the flow management positions to consider and implement remedial actions to reduce the impact of the measures taken to accommodate the traffic. From the perspective of the airspace users, better traffic prediction will provide improved ability to maintain accurate estimated off-block times (EOBTs) for the return and subsequent legs for a flight/aircraft.
<b>Cost Efficiency:</b>	-
<b>Environment:</b>	-
<b>Security:</b>	-

### Detailed SLoA Descriptions

<b>FCM03-ASP01</b>	<b>Provide flight plan message processing in ICAO format</b>	<b>From:</b> 01/03/1995	<b>By:</b> 31/12/1995
<b>Action by:</b>	<b>ANS Providers</b>		
<b>Description &amp; purpose:</b>	Receive and automatically process IFPS output of all ICAO-defined flight plan messages for input into the local ATC systems. This excludes FPLs derived from RPLs (see also FCM03-ASP02).		
	<b>Note</b> :Processing of IFPS output without manual intervention. The SLoA can be considered as not applicable if the amount of IFR/GAT traffic does not justify automation.		
<b>Specific applicability:</b>	<b>ECAC States, IFR/GAT only.</b>		
<b>Finalisation criteria:</b>	1 - Automatic processing of flight plan messages in ICAO format has been implemented.		
<b>FCM03-ASP02</b>	<b>Automatically process FPLs derived from RPLs</b>	<b>From:</b> 01/03/1995	<b>By:</b> 31/12/1995
<b>Action by:</b>	<b>ANS Providers</b>		
<b>Description &amp; purpose:</b>	Receive and automatically process IFPS output derived from RPL to suppress the need for RPL bulk-output from IFPS.		
	<b>Note</b> :No longer requiring RPL bulk-output or transmission of FPLs derived from RPLs by the NM. The SLoA can be considered as not applicable if the amount of IFR/GAT traffic does not justify automation.		
<b>Specific applicability:</b>	<b>ECAC States, IFR/GAT only.</b>		
<b>Finalisation criteria:</b>	1 - Automatic processing of FPLs derived from RPLs has been implemented.		

FCM03		Collaborative Flight Planning	
FCM03-ASP03	Provide flight plan message processing in ADEXP format	From: 01/12/1997	By: 31/12/2022
Action by:	ANS Providers		
Description & purpose:	<p>Receive and automatically process IFPS output of all defined flight plan messages for input into local ATC systems in ADEXP format in line with ICAO State Letter (AN 13/2.1-08/50) - 25 June 2008.</p> <p>Impact of Flight Plan 2012 changes:</p> <p>The basic flight plan form and the field composition within the FPL message remains unchanged, but the content of some fields will change.</p> <ul style="list-style-type: none"> <li>- changes to indications in Items 10 and 18 (including the use of digits) describing the precise NAV/COM/SUR capabilities of the flight</li> <li>- the ability to file a FPL up to 5 days (120 hours) before the flight, using the Date of Flight (DOF/) in Item 18</li> <li>- addition of new Item 18 indicators and changes to the contents of several existing indicators.</li> <li>- a change to the description of a significant point which may now be described by range and bearing</li> </ul> <p>The field composition within associated messages (CHG, DEP, CNL, ARR, RQP) will change to include the EOBT and Item 18 DOF/ thus ensuring association to the correct FPL.</p>		
	<p>Note :All national ATC systems that receive flight plan data from IFPS receive and process the data in ADEXP format. The SLoA can be considered as not applicable if the amount of IFR/GAT traffic does not justify automation.</p>		
Specific applicability:	ECAC States, IFR/GAT only.		
Supporting material(s):	<p>EUROCONTROL - SPEC-107 - EUROCONTROL Specification for ATS Data Exchange Presentation (ADEXP) - Edition 3.3 / 07/2020</p> <p>Url : <a href="https://www.eurocontrol.int/publication/eurocontrol-specification-ats-data-exchange-presentation-adexp">https://www.eurocontrol.int/publication/eurocontrol-specification-ats-data-exchange-presentation-adexp</a></p>		
Finalisation criteria:	1 - ATC system is able to receive and process flight plan data from IFPS in ADEXP format.		
FCM03-ASP04	Processing of APL and ACH messages	From: 01/12/1997	By: 31/12/1999
Action by:	ANS Providers		
Description & purpose:	<p>Process automatically, in the local ATC systems, real time updates to flight plan information as provided by IFPS via APL and ACH messages.</p>		
	<p>Note :The SLoA may be implemented as a manual processing if the amount of IFR/GAT traffic does not justify automation.</p>		
Specific applicability:	ECAC States, IFR/GAT only.		
Finalisation criteria:	1 - Processing of APL and ACH messages by the ANSP has been implemented.		
FCM03-ASP05	Automatically provide AFP for missing flight plans	From: 01/03/1998	By: 31/12/2022
Action by:	ANS Providers		
Description & purpose:	<p>Automatically provide IFPS with updated flight plan information on airborne flights by means of AFP message. Provide the AFP in case an IFR-GAT flight exists but no IFPL has been received from IFPS.</p> <p>The related AFP message can be sent in either ICAO or ADEXP format.</p>		
Specific applicability:	ECAC States, IFR/GAT only.		
Supporting material(s):	<p>EUROCONTROL - SPEC-107 - EUROCONTROL Specification for ATS Data Exchange Presentation (ADEXP) - Edition 3.3 / 07/2020</p> <p>Url : <a href="https://www.eurocontrol.int/publication/eurocontrol-specification-ats-data-exchange-presentation-adexp">https://www.eurocontrol.int/publication/eurocontrol-specification-ats-data-exchange-presentation-adexp</a></p> <p>EUROCONTROL - IFPS Users Manual - 24</p> <p>Url : <a href="https://www.eurocontrol.int/publication/ifps-users-manual">https://www.eurocontrol.int/publication/ifps-users-manual</a></p>		
ATM Master Plan relationship:	<a href="#">[NIMS-02]-Provision , reception and processing of collaborative flight plan updates</a>		
Finalisation criteria:	1 - Reception of AFP messages by NM has been ensured.		
FCM03-ASP06	Automatically provide AFP message for change of route	From: 01/03/2003	By: 31/12/2022
Action by:	ANS Providers		
Description & purpose:	<p>Automatically provide IFPS with updated flight plan information on airborne flights by means of AFP message; provide the AFP for a change of route where the exit coordination point from the Air Traffic Services Unit (ATSU) has changed and the next downstream ATSU is new when compared to the last flight plan data. The related AFP message must be provided in ADEXP format only</p>		
Specific applicability:	ECAC States, IFR/GAT only.		
Supporting material(s):	<p>EUROCONTROL - SPEC-107 - EUROCONTROL Specification for ATS Data Exchange Presentation (ADEXP) - Edition 3.3 / 07/2020</p> <p>Url : <a href="https://www.eurocontrol.int/publication/eurocontrol-specification-ats-data-exchange-presentation-adexp">https://www.eurocontrol.int/publication/eurocontrol-specification-ats-data-exchange-presentation-adexp</a></p> <p>EUROCONTROL - IFPS Users Manual - 24</p> <p>Url : <a href="https://www.eurocontrol.int/publication/ifps-users-manual">https://www.eurocontrol.int/publication/ifps-users-manual</a></p>		
ATM Master Plan relationship:	<a href="#">[NIMS-02]-Provision , reception and processing of collaborative flight plan updates</a>		

<b>FCM03</b>	<b>Collaborative Flight Planning</b>		
--------------	--------------------------------------	--	--

<b>Finalisation criteria:</b>	1 - Transmission of AFP messages for route changes by the ANSP has been implemented.		
<b>FCM03-ASP07</b>	<b>Automatically provide AFP message for a diversion</b>	<b>From:</b> 01/03/2008	<b>By:</b> 31/12/2022
<b>Action by:</b>	<b>ANS Providers</b>		
<b>Description &amp; purpose:</b>	Automatically provide IFPS with updated flight plan information on airborne flights by means of AFP message; provide the AFP in case of a diversion. The related AFP message must be provided in ADEXP format only.		
<b>Specific applicability:</b>	<a href="#">ECAC States, IFR/GAT only.</a>		
<b>Supporting material(s):</b>	EUROCONTROL - SPEC-107 - EUROCONTROL Specification for ATS Data Exchange Presentation (ADEXP) - Edition 3.3 / 07/2020 Url : <a href="https://www.eurocontrol.int/publication/eurocontrol-specification-ats-data-exchange-presentation-adexp">https://www.eurocontrol.int/publication/eurocontrol-specification-ats-data-exchange-presentation-adexp</a> EUROCONTROL - IFPS Users Manual - 24 Url : <a href="https://www.eurocontrol.int/publication/ifps-users-manual">https://www.eurocontrol.int/publication/ifps-users-manual</a>		
<b>ATM Master Plan relationship:</b>	<a href="#">[NIMS-02]-Provision , reception and processing of collaborative flight plan updates</a>		
<b>Finalisation criteria:</b>	1 - Transmission of AFP messages for diversions by the ANSP has been implemented.		
<b>FCM03-ASP08</b>	<b>Automatically provide AFP message for a change of flight rules or flight type</b>	<b>From:</b> 01/03/2003	<b>By:</b> 31/12/2022
<b>Action by:</b>	<b>ANS Providers</b>		
<b>Description &amp; purpose:</b>	Automatically provide IFPS with updated flight plan information on airborne flights by means of AFP message; provide the AFP in case of a change of flight rules from VFR to IFR, or IFR to VFR, or a change of flight type from OAT to GAT, or GAT to OAT.		
<b>Specific applicability:</b>	<a href="#">ECAC States, IFR/GAT only.</a>		
<b>Supporting material(s):</b>	EUROCONTROL - SPEC-107 - EUROCONTROL Specification for ATS Data Exchange Presentation (ADEXP) - Edition 3.3 / 07/2020 Url : <a href="https://www.eurocontrol.int/publication/eurocontrol-specification-ats-data-exchange-presentation-adexp">https://www.eurocontrol.int/publication/eurocontrol-specification-ats-data-exchange-presentation-adexp</a> EUROCONTROL - IFPS Users Manual - 24 Url : <a href="https://www.eurocontrol.int/publication/ifps-users-manual">https://www.eurocontrol.int/publication/ifps-users-manual</a>		
<b>ATM Master Plan relationship:</b>	<a href="#">[NIMS-02]-Provision , reception and processing of collaborative flight plan updates</a>		
<b>Finalisation criteria:</b>	1 - Transmission of AFP messages for changes of flight rules and flight types by the ANSP has been implemented.		
<b>FCM03-ASP13</b>	<b>Automatically provide AFP message for change of aircraft type</b>	<b>From:</b> 01/03/2003	<b>By:</b> 31/12/2022
<b>Action by:</b>	<b>ANS Providers</b>		
<b>Description &amp; purpose:</b>	Automatically provide IFPS with updated Flight Plan information on airborne flights by means of AFP message. Provide the AFP in case of a change of aircraft type.		
<b>Specific applicability:</b>	<a href="#">ECAC States, IFR/GAT only.</a>		
<b>Supporting material(s):</b>	EUROCONTROL - SPEC-107 - EUROCONTROL Specification for ATS Data Exchange Presentation (ADEXP) - Edition 3.3 / 07/2020 Url : <a href="https://www.eurocontrol.int/publication/eurocontrol-specification-ats-data-exchange-presentation-adexp">https://www.eurocontrol.int/publication/eurocontrol-specification-ats-data-exchange-presentation-adexp</a> EUROCONTROL - IFPS Users Manual - 24 Url : <a href="https://www.eurocontrol.int/publication/ifps-users-manual">https://www.eurocontrol.int/publication/ifps-users-manual</a>		
<b>ATM Master Plan relationship:</b>	<a href="#">[NIMS-02]-Provision , reception and processing of collaborative flight plan updates</a>		
<b>Finalisation criteria:</b>	1 - Transmission of AFP messages for changes of aircraft type by ANSP has been implemented.		
<b>FCM03-ASP14</b>	<b>Automatically provide AFP message for change of aircraft equipment</b>	<b>From:</b> 01/03/2008	<b>By:</b> 31/12/2022
<b>Action by:</b>	<b>ANS Providers</b>		
<b>Description &amp; purpose:</b>	Automatically provide IFPS with updated Flight Plan information on airborne flights by means of AFP message. Provide the AFP in case of a change of aircraft equipment. The related AFP message must be provided in ADEXP format only.		
<b>Specific applicability:</b>	<a href="#">ECAC States, IFR/GAT only.</a>		
<b>Supporting material(s):</b>	EUROCONTROL - SPEC-107 - EUROCONTROL Specification for ATS Data Exchange Presentation (ADEXP) - Edition 3.3 / 07/2020 Url : <a href="https://www.eurocontrol.int/publication/eurocontrol-specification-ats-data-exchange-presentation-adexp">https://www.eurocontrol.int/publication/eurocontrol-specification-ats-data-exchange-presentation-adexp</a> EUROCONTROL - IFPS Users Manual - 24 Url : <a href="https://www.eurocontrol.int/publication/ifps-users-manual">https://www.eurocontrol.int/publication/ifps-users-manual</a>		
<b>ATM Master Plan relationship:</b>	<a href="#">[NIMS-02]-Provision , reception and processing of collaborative flight plan updates</a>		

FCM03		Collaborative Flight Planning	
Finalisation criteria:	1 - Transmission of AFP messages for changes of aircraft equipment by ANSP has been implemented.		
FCM03-NM01	Integration of Automatic AFP in NM systems	From:	By:
		01/01/2010	31/12/2022
Action by:	NM		
Description & purpose:	The automatic AFP messages should not be transmitted to IFPS without prior coordination and test validation by NM. NM should ensure the correctness of AFP messages by testing and validate t hem. If the testing is correct, the received AFP messages from a specific ASTC unit will be integrated in NM systems.		
ATM Master Plan relationship:	<a href="#">[NIMS-02]-Provision , reception and processing of collaborative flight plan updates</a>		
Finalisation criteria:	1 - Integration of AFP messages in NM systems		